COMMUNICATION S

Federal Communications Commission

Approved by OMB 3060-0999 See instructions for public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2015 - December 31, 2015 Filing Confirmation Number: 0007098551

Filing Deadline: January 15, 2016 FRN: 0006924153

Filing Date: 01/15/2016 04:10 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: AMERIMEX COMMUNICATIONS CORP

Brand Names: SAFETYNET WIRELESS

PO Box:

Street Address: 2323 CURLEW ROAD, SUITE 7B

City: DUNEDIN

State: FL Zip Code: 34698

Contact Name: STEPHEN KLEIN
Contact Phone: (727) 386-8601
Contact Fax: (800) 954-1951

Contact Email: steve@safetynetwireless.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: FAS TEK COMPLIANCE SOLUTIONS

PO Box:

Street Address: 1725 WINDWARD CONCOURSE, STE 150

City: ALPHARETTA

State: GA

Zip Code: 30005

Contact Name: SUSAN COCKERHAM

Contact Phone: (678) 672-2837 Contact Fax: (678) 672-2830

Contact Email: scockerham@fastekteam.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

N/A

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: www.amerimexwireless.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months:

Methodology for Functionality Levels

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 18

Air Interface	Fully Hearing Aid Compatible Number Percent	Acoustic Coupling Compatible Only Number Percent	Non-Compliant Handsets Number Percent	Total by Air Interface
GSM	5 50%	3 30%	2 20%	10
CDMA	6 75%	2 25%		8

Handset 1: Alcatel 875T

Handset Maker

Alcatel

Handset Model Name FCC ID

875T RAD296

Air Interfaces/Frequency Bands

850 MHz GSM 900 MHz GSM 1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 04/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

GOOD

Remarks

Handset 2: LG LS670

Handset Maker

LG

Handset Model Name FCC ID

LS670 BEJLS670

Air Interfaces/Frequency Bands

800 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

GOOD

Remarks

Handset 3: LG VX3300

Handset Maker

LG

Handset Model Name FCC ID

VX3300 BEJVX3300

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

GOOD

Remarks

Handset 4: LG VX5200

Handset Maker

LG

Handset Model Name FCC ID

VX5200 BEJAX5000

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

GOOD

Remarks

Handset 5: LG VX5500

Handset Maker

LG

Handset Model Name FCC ID

VX5500 BEJVX5500

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

GOOD

Remarks

Handset 6: Plum B102

Handset Maker

Plum

Handset Model Name FCC ID

B102 Y7WPLUMSLICK

Air Interfaces/Frequency Bands

850 MHz GSM 900 MHz GSM 1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 08/15 to 12/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? **Functionality Level BASIC** Remarks Handset 7: Posh Mobile Lynx A100 **Handset Maker** Posh Mobile **Handset Model Name** FCC ID Lynx A100 2ABN6POSHA100 Air Interfaces/Frequency Bands $850~\mathrm{MHz}~\mathrm{GSM}$ 900 MHz GSM 1800 MHz GSM 1900 MHz GSM **Dates** This handset model was offered from: 01/15 to 07/15 **Ratings** M-Rating: T-Rating: Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

M-Rating:

T-Rating:

Functionality Level

BASIC Remarks

Handset 8: Samsung M240

Handset Maker

Samsung

Handset Model Name FCC ID

M240 A3LSPHM240

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

GOOD

Remarks

Handset 9: Samsung SGH-T199

Handset Maker

Samsung

Handset Model Name FCC ID

SGH-T199 A3LSGHT199

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 12/15

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

GOOD

Remarks

Handset 10: Samsung SGH-T219

Handset Maker

Samsung

Handset Model Name FCC ID

SGH-T219 A3LSGHT219

Air Interfaces/Frequency Bands

850 MHz GSM 1800 MHz GSM 1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

GOOD

Remarks

Handset 11: Samsung SGH-T239

Handset Maker

Samsung

Handset Model Name FCC ID

SGH-T239 A3LSGHT239

Air Interfaces/Frequency Bands

850 MHz GSM 1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3 T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

GOOD

Remarks

Handset 12: Samsung SGH-T379

Handset Maker

Samsung

Handset Model Name FCC ID

SGH-T379 A3LSGHT379

Air Interfaces/Frequency Bands

850 MHz GSM 900 MHz GSM 1800 MHz GSM 1900 MHz GSM

Dates

This handset model was offered from: 08/15 to 12/15

M-Rating: M3 T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

GOOD

Remarks

Handset 13: Samsung U350

Handset Maker

Samsung

Handset Model Name FCC ID

U350 A3LSCHU350

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

GOOD

Remarks

Handset 14: Samsung U460

Handset Maker

Samsung

Handset Model Name FCC ID

U460 A3LSCHU460

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

GOOD

Remarks

Handset 15: Sanyo KATANA 6750

Handset Maker

Sanyo

Handset Model Name FCC ID

KATANA 6750 JOYSCP-6750

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

M-Rating: M4 T-Rating: T4

Did this handsat most the criteria for an N

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

GOOD

Remarks

Handset 16: Unnecto Primo

Handset Maker

Unnecto

Handset Model Name FCC ID

Primo OLEU140

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

GOOD

Remarks

Handset 17: VORTEX IMAGE

Handset Maker

VORTEX

Handset Model Name FCC ID

IMAGE 2ADLJZR1

Air Interfaces/Frequency Bands

850 MHz GSM 900 MHz GSM 1800 MHz GSM 1900 MHz GSM

Dates

This handset model was offered from: 03/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

GOOD

Remarks

Handset 18: VORTEX QWERTY

Handset Maker

VORTEX

Handset Model Name FCC ID

QWERTY 2ADLJQWERTY

Air Interfaces/Frequency Bands

900 MHz GSM 1800 MHz GSM

Dates

This handset model was offered from: 03/15 to 12/15

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

GOOD

Remarks

Certification

This Report has been certified by:

Susan Cockerham Attorney In Fact 01/15/2016 04:10 PM